

DOI: 10.1093/femsmc/xtad009

Advance access publication date: 21 April 2023

Commentary

# The Acinetobacter baumannii website (Ab-web): a multidisciplinary knowledge hub, communication platform, and workspace

Nabil Karah <sup>10</sup> 1,2,\*, Valeria Mateo-Estrada³, Santiago Castillo-Ramírez³, Paul G. Higgins <sup>10</sup> 4,5, Benjamin Havenga6, Wesaal Khan6, Sara Domingues<sup>7,8</sup>, Gabriela Jorge Da Silva<sup>7,8</sup>, Laurent Poirel <sup>10</sup> 9,10, Patrice Nordmann<sup>9,10</sup>, Cecilia Ambrosi<sup>11</sup>, Chaoying Ma<sup>12</sup>, Siobhán McClean<sup>12</sup>, María Paula Quiroga<sup>13</sup>, Verónica E. Alvarez<sup>13</sup>, Daniela Centron<sup>13</sup>, Raffaele Zarrilli <sup>10</sup> 14, Johanna J. Kenyon<sup>15</sup>, Thomas A. Russo<sup>16</sup>, Benjamin A. Evans<sup>17</sup>, Andres Opazo-Capurro <sup>10</sup> 18, Rayane Rafei <sup>10</sup> 19, Monzer Hamze <sup>10</sup> 19, Ziad Daoud<sup>20,21</sup>, Irfan Ahmad<sup>1,22</sup>, Philip N. Rather<sup>23,24</sup>, Ruth M. Hall <sup>10</sup> 25, Gottfried Wilharm<sup>26</sup>, Bernt Eric Uhlin <sup>10</sup> 1

Editor: [Jana Jass]

#### **Abstract**

Acinetobacter baumannii is a Gram-negative bacterium increasingly implicated in hospital-acquired infections and outbreaks. Effective prevention and control of such infections are commonly challenged by the frequent emergence of multidrug-resistant strains. Here we introduce Ab-web (https://www.acinetobacterbaumannii.no), the first online platform for sharing expertise on A. baumannii. Ab-web is a species-centric knowledge hub, initially with 10 articles organized into two main sections, 'Overview' and 'Topics', and three themes, 'epidemiology', 'antibiotic resistance', and 'virulence'. The 'workspace' section provides a spot for colleagues to collaborate, build, and manage joint projects. Ab-web is a community-driven initiative amenable to constructive feedback and new ideas.

<sup>&</sup>lt;sup>1</sup>Department of Molecular Biology and Umeå Centre for Microbial Research (UCMR), Umeå University, 901 87 Umeå, Sweden

<sup>&</sup>lt;sup>2</sup>Department of Research and Development, KARAHCO, 0951 Oslo, Norway

<sup>&</sup>lt;sup>3</sup>Programa de Genómica Evolutiva, Centro de Ciencias Genómicas, Universidad Nacional Autónoma de México, 62210 Cuernavaca, México

<sup>&</sup>lt;sup>4</sup>Institute for Medical Microbiology, Immunology and Hygiene, Faculty of Medicine and University Hospital Cologne, University of Cologne, 50935 Cologne, Germany

<sup>&</sup>lt;sup>5</sup>German Center for Infection Research (DZIF), Partner Site Bonn-Cologne, D-50935 Cologne, Germany

<sup>&</sup>lt;sup>6</sup>Department of Microbiology, Faculty of Science, Stellenbosch University, Private Bag X1, 7602 Stellenbosch, South Africa

<sup>&</sup>lt;sup>7</sup>Faculty of Pharmacy, University of Coimbra, 3000-458 Coimbra, Portugal

<sup>&</sup>lt;sup>8</sup>Center for Neuroscience and Cell Biology, University of Coimbra, 3004-517 Coimbra, Portugal

<sup>&</sup>lt;sup>9</sup>Medical and Molecular Microbiology, Department of Medicine, Faculty of Science and Medicine, University of Fribourg, Chemin du Musée 18, 1700 Fribourg, Switzerland

<sup>10</sup> Swiss National Reference Center for Emerging Antibiotic Resistance (NARA), University of Fribourg, 1700 Fribourg, Switzerland

<sup>&</sup>lt;sup>11</sup>Department of Human Sciences and Promotion of the Quality of Life, San Raffaele Open University, IRCCS, 00166 Rome, Italy

 $<sup>^{12}</sup>$ School of Biomolecular and Biomedical Sciences, University College Dublin, Belfield D04 V1W8, Dublin 4, Ireland

<sup>&</sup>lt;sup>13</sup>Laboratorio de Investigaciones en Mecanismos de Resistencia a Antibióticos, Instituto de Investigaciones en Microbiología y Parasitología Médica, Facultad de Medicina, Universidad de Buenos Aires - Consejo Nacional de Investigaciones Científicas y Tecnológicas (IMPaM, UBA-CONICET), 1245 Ayacucho (C1111AAI), Buenos Aires, Argentina

 $<sup>^{14}</sup>$ Department of Public Health, University of Naples Federico II, 80138 Naples, Italy

<sup>15</sup> Centre for Immunology and Infection Control, School of Biomedical Sciences, Faculty of Health,, Queensland University of Technology, Brisbane City QLD 4000,

<sup>&</sup>lt;sup>16</sup>Veterans Administration Western NY, Healthcare System, epartment of Medicine, Jacobs School of Medicine and Biomedical Sciences, University Buffalo, Buffalo, NY 14260, United States

<sup>&</sup>lt;sup>17</sup>Norwich Medical School, University of East Anglia, Norwich NR4 7TJ, United Kingdom

<sup>18</sup> Laboratorio de Investigación en Agentes Antibacterianos, Departamento de Microbiología, Facultad de Ciencias Biológicas, Universidad de Concepción, 4070386

<sup>&</sup>lt;sup>19</sup>Laboratoire Microbiologie Santé et Environnement, Doctoral School of Sciences and Technology, Faculty of Public Health, Lebanese University, Tripoli 1300, Lebanon

<sup>&</sup>lt;sup>20</sup>College of Medicine, Central Michigan University, Mount Pleasant, MI 48859, United States

<sup>&</sup>lt;sup>21</sup>Department of Clinical Microbiology, Michigan Health Clinics, Saginaw, MI 48604, United States

<sup>&</sup>lt;sup>22</sup>Institute of Biomedical and Allied Health Sciences, University of Health Sciences, Lahore, Punjab 54600, Pakistan

<sup>&</sup>lt;sup>23</sup>Department of Microbiology and Immunology, Emory University School of Medicine, Atlanta, GA 30307, United States

<sup>&</sup>lt;sup>24</sup>Research Service, Department of Veterans Affairs, Atlanta Veterans Affairs (VA) Medical Center, Decatur, GA 30033, United States

<sup>&</sup>lt;sup>25</sup>School of Life and Environmental Sciences, The University of Sydney, Sydney, NSW 2006, Australia

<sup>&</sup>lt;sup>26</sup>Robert Koch Institute, Project Group P2 (Acinetobacter baumannii—Biology of a Nosocomial Pathogen), Burgstr 37, 38855 Wernigerode, Germany

<sup>\*</sup>Corresponding author. Department of Molecular Biology and Umeå Centre for Microbial Research (UCMR), Umeå University, 901 87 Umeå, Sweden. E-mail: nabil.karah@umu.se

Keywords: online educational platform, clinical microbiology, antimicrobial resistance, virulence, molecular epidemiology, mobile genetic elements

#### Introduction

Acinetobacter baumannii is a non-spore-forming, glucose-nonfermenting, rod-shaped Gram-negative bacterium that has, over the last four decades, become a notorious opportunistic pathogen. It belongs to the ESKAPE group of pathogens (Enterococcus faecium, Staphylococcus aureus, Klebsiella pneumoniae, A. baumannii, Pseudomonas aeruginosa, and Enterobacter spp.) known to exhibit a range of virulence and multidrug resistance (MDR) features, enabling them to evade or 'escape' commonly used antibiotics (Boucher et al. 2009). Importantly, carbapenem-resistant A. baumannii has recently been ranked as 'Priority 1: CRITICAL' in the World Health Organization list of bacteria for which new antibiotics are urgently needed (Tacconelli et al. 2018).

Although the emergence of highly virulent strains of A. baumannii has been reported (Singh et al. 2020), our knowledge of the mechanisms of A. baumannii pathogenicity is still limited, pending further research. The remarkable abilities of A. baumannii to persist on dry surfaces, to acquire resistance to different classes of antibiotics, and to effectively disseminate within and among medical facilities have been underlined (Sarshar et al. 2021). The global epidemiology of A. baumannii, though it is currently highly biassed by a large number of clinical isolates and much fewer veterinary or environmental strains, is mainly dominated by a few epidemic clones, especially international clones (IC) 1 and 2, also known as global clones (GC) 1 and 2 (Higgins et al. 2017, Gaiarsa et al. 2019). IC7, which corresponds to sequence types (ST) 25 and 229 according to the Pasteur (p) and Oxford (ox) multilocus sequence typing (MLST) schemes, respectively, is another worldwide prevalent clone (Sahl et al. 2015). In addition, IC5 (ST79<sup>P</sup> and ST205<sup>Ox</sup>) and IC4 (ST15<sup>p</sup> and ST438<sup>Ox</sup>) are major epidemic clonal lineages in South America (Brito et al. 2022).

The high adaptability of these clones to hospital settings has been attributed to their antibiotic resistance and the expression of multiple virulence and resilience factors, including cellular envelope and outer membrane proteins, secretion systems, iron acquisition systems, and phospholipases (Harding et al. 2018). Plasmids and other mobile genetic elements (MGEs) have been key contributors to the evolution of such extremely successful clones of A. baumannii. For instance, plasmid R16, first reported in 1956, contributed to the formation of a resistance island that has become a stable structure in the chromosome of A. baumannii IC1 (Moran and Hall 2019). Another recent study has demonstrated the capacity of pAB5, a large conjugative plasmid, to impact the expression of chromosomally encoded virulence factors and to confer niche specificity to A. baumannii uropathogenic strains (Di Venanzio et al. 2019).

While the earliest articles on A. baumannii were published in the 1940s, though under different names, the official name of this species was coined in 1986 (Bouvet and Grimont 1986). Since then, a growing body of literature has accumulated, including >12 400 entries found in the PubMed database for the search query 'Acinetobacter baumannii' (https://pubmed.ncb i.nlm.nih.gov/?term = acinetobacter+baumannii; as of 22 January 2023). Notably, free full text is available for only 55% of these results. Similarly, mounting records of A. baumannii sequence data are deposited in GenBank on a daily basis, including more than 17 500 assemblies, more than 7380 'Genome Assembly and Annotation' reports, and 980 'Plasmid Annotation' reports as of 22 January 2023 (https://www.ncbi.nlm.nih.gov/ass

embly/?term= acinetobacter±baumannii; https://www.ncbi.nlm .nih.gov/genome/?term = acinetobacter%20baumannii). Nevertheless, researchers are challenged by the lack of an existing focal repository point for accessing and sharing data on A. baumannii and by a noticeable shortage in the number and effectiveness of freely accessible sequence analysis servers tailored to meet the specificities of different bacterial species.

Here, we present the development of the first A. baumannii website (Ab-web) as a free online multidisciplinary knowledge hub aiming to centralize information on A. baumannii. Ab-web offers a platform for knowledge exchange, capacity development, and coordination to research groups, health networks, institutes, authorities, infrastructures, and corporations involved in the study of A. baumannii all over the world. Ab-web provides access to a collection of in-house expert-written and peer-reviewed web pages on the biological features, ecology, evolution dynamics, host interactions, and epidemiology of infections caused by A. baumannii. Hosting sequence analysis services tailored to A. baumannii will be one of our main goals in the short term.

#### Website structure and contents

The three main 'Overview' web pages summarize current knowledge on antibiotic resistance, global epidemiology, and the virulence of A. baumannii. One sub-page, arranged under the 'Global Epidemiology' page, is dedicated to exploring the epidemiology of A. baumannii IC1 (Holt et al. 2016, Higgins et al. 2017). The six 'Topics' web pages provide insights into (i) the nomenclature, evolution, and clinical role of the A. baumannii-intrinsic gene oxaAb (also known as bla<sub>OXA-51-like</sub>) (Takebayashi et al. 2021); (ii) importance, structural diversity, and biosynthesis of the A. baumannii polysaccharide capsule (Russo et al. 2010, Kenyon and Hall 2013); (iii) mechanisms of horizontal gene transfer and natural transformation in A. baumannii (Wilharm and Skiebe 2019); (iv) genetic structure of Tn6019, the backbone transposon of AbaR3-type resistance islands in A. baumannii (Post et al. 2010); (v) phase variation switch between opaque and translucent colony phenotypes (Anderson and Rather 2019); and (vi) hospital and extra-hospital epidemiology of A. baumannii in Lebanon (Dandachi et al. 2019). The latter topic is made as a model to encourage other colleagues to present the epidemiological story of A. baumannii in their countries. Such country-wise sub-pages can later be merged into one large chapter.

All the web pages will be regularly edited and updated. Both the authors and reviewers have access to the website builder and full self-control to edit the web pages. Ab-web is hosted by one.com and can be accessed via any internet browser (https://www.acinetobacterbaumannii.no). It offers information to a variety of audiences from students, researchers, healthcare staff, and policymakers to affected individuals and the general public. All users have straightforward access to all the published material in the form of texts, tables, and figures. Users are free to download high-resolution figures of the MGE maps and re-use the data as long as attribution is provided. Registering, free of charge, is needed to become a member of the Ab-web community, allowing registered users to get involved in discussion groups and workspace activities. As a pilot project, this manuscript was prepared using a workspace that was open to all the co-authors. A joint study on the phenotypic and genotypic features of A. baumannii IC1 lineage 3, first reported in 2021 (Hamidian and Hall 2021), is currently under progress in the workspace section. Some of the discussion groups and workspaces will be made 'open' and will be visible to all the Ab-web visitors to facilitate wider engagement. Ab-web will be governed by a steering committee composed of four or five experts in the field of A. baumannii. The main tasks of the steering committee are to ensure adherence to the code of conduct for responsible research (e.g. https://www.who.int/about/ethics/code-of-conduct-for-respons ible-research) and compliance with common guidelines for research website usability and best practice in scholarly publishing (e.g. https://publicationethics.org/resources/guidelines-new/pri nciples-transparency-and-best-practice-scholarly-publishing), and to create plans and provide guidance on the development of the website.

The digital object identifiers (DOIs) of all the reference articles and original studies are hyperlinked to the websites of their publishers. Similarly, links are generated to direct users to other relevant online databases and tools, such as PubMLST (ht tps://pubmlst.org/organisms/acinetobacter-baumannii), PubMed (https://pubmed.ncbi.nlm.nih.gov/), GenBank (https://www.ncbi .nlm.nih.gov/genbank/), PathogenWatch (https://pathogen.watch /genomes/all?genusId = 469), and Kaptive (https://kaptive-web.er c.monash.edu/).

# Plans for future developments

The hub will continue to be a community-driven, collaborative initiative. Feedback and suggestions will be deemed and applied to improve the functionality of Ab-web. The multiplicity of our informative web pages will be steadily expanded. Once approved by the steering committee, registered users will have direct access to create new pages. For example, the need to add a page on the clinical aspects and current therapies of A. baumannii infections has already been noted. Adding a web page to highlight recent developments and evaluations of new therapeutic drugs, such as cefiderocol and durlobactam (Isler et al. 2018), is also needed. Likewise, web pages on the epidemiology of A. baumannii IC2, the global distribution of colistin-resistant isolates, biofilm formation, the type VI secretion system, and bacteriophages are missing and shall be added. A practical guideline on antimicrobial susceptibility testing of A. baumannii shall be retrieved from reference resources such as the Clinical and Laboratory Standards Institute—CLSI (https://clsi.org/) and the European Committee on Antimicrobial Susceptibility Testing—EUCAST (https://www.euca st.org/). Considering that antibiotic-resistant A. baumannii is a One Health problem (Hernández-González and Castillo-Ramírez 2020), an overview webpage will be created to summarize our current understanding of the non-human epidemiology of A. baumannii. Web pages related to studies interconnecting data from people, animals, plants, and the environment will also be encouraged.

The Ab-web platform shall gradually provide access to additional assets, such as trending news and events, protocols and standard operating procedures, links to relevant workshops, symposiums and conferences, surveillance data, annotated sequences, and bioinformatic services. The annotation of genetic elements deposited in the commonly used sequence databases is often incomplete, and information about the presence, location, or precise identity of some of the genetic features might sometimes be missing (Ross et al. 2021). One of our future aims is to integrate web applications allowing users to upload new sequences, generate initial automatic annotations, facilitate manual revisions, and cooperate to build peer-curated genetic maps.

## Database of the A. baumannii MGEs

To recognize the impact of MGEs on the evolution of A. baumannii, there is a need to create and maintain a user-friendly catalogue of all detected MGEs. Ab-web can be enhanced by creating specifically designed web page(s) to function as an interface for a carefully annotated and expert-reviewed database of the A. baumannii MGE transposition genes, accessory genes, antimicrobial or heavy metal resistance genes, other functional genes, and other core or non-core genetic sequences or elements. The catalogue shall provide a detailed description of the MGEs, where each MGE shall have its own entry page, including a detailed table and graphical map of their genetic structures. The website will be equipped with a nucleotide similarity search engine, similar to the Basic Local Alignment Search Tool (https://blas t.ncbi.nlm.nih.gov/Blast.cgi), tool for genetic map construction, such as SnapGene (https://www.snapgene.com/), a filtering algorithm to display only the manually curated feature matches, and an application to visualize comparisons between multiple entries, such as Easyfig (http://mjsull.github.io/Easyfig/), all of which can be used by scientists to initiate more studies on the source and provenance of newly detected MGEs and those of particular interest.

### Conclusion

The frequent emergence of multidrug-resistant strains of A. baumannii has raised the concern of lacking effective treatment options. Our Ab-web knowledge hub is the first online speciescentric library for A. baumannii, with a compilation of 10 peerreviewed articles on its virulence, epidemiology, and antibiotic resistance features. Ab-web facilitates straightforward associations with colleagues and experts, offering a virtual platform to plan, develop, and deploy new projects. While promoting research on A. baumannii is our main goal, Ab-web shall also inform optimal management of infections caused by this difficultto-treat opportunistic pathogen, promote timely response to outbreaks, and improve patient outcomes. Ab-web also has the potential of becoming a portal for genomic analyses of A. baumannii, with a variety of basic research and applied clinical applications.

# **Author contributions**

Nabil Karah, Valeria Mateo-Estrada, Santiago Castillo-Ramírez, Paul G Higgins, Benjamin Havenga, Wesaal Khan, Sara Domingues, Gabriela Jorge Da Silva, Laurent Poirel, Patrice Nordmann, Cecilia Ambrosi, Chaoying Ma, Siobhán McClean, María Paula Quiroga, Verónica E Alvarez, Daniela Centron, Raffaele Zarrilli, Johanna J Kenyon, Thomas A Russo, Benjamin A Evans, Andres Opazo-Capurro, Rayane Rafei, Monzer Hamze, Ziad Daoud, Irfan Ahmad, Philip N Rather, Ruth M Hall, Gottfried Wilharm, and Bernt Eric

Conflict of interest. None declared.

# **Funding**

This study was supported by funding from the Swedish Research Council (Project grant 2019-01720). The funder had no role in study design, data collection, analyses, and interpretation, or in the decision to submit the work for publication.

## References

- Anderson SE, Rather PN Distinguishing colony opacity variants and measuring opacity variation in Acinetobacter baumannii. Methods Mol Biol 2019:1946:151–7.
- Boucher HW, Talbot GH, Bradley JS et al. Bad bugs, no drugs: no ES-KAPE! an update from the Infectious Diseases Society of America. Clin Infect Dis 2009;48:1–12.
- Bouvet PJM, Grimont PAD Taxonomy of the genus Acinetobacter with the recognition of Acinetobacter baumannii sp. nov., Acinetobacter haemolyticus sp. nov., Acinetobacter johnsonii sp. nov., and Acinetobacter junii sp. nov. And emended descriptions of Acinetobacter calcoaceticus and Acinetobacter Iwoffii. Int J Syst Bacteriol 1986;36:228–40
- Brito BP, Koong J, Wozniak A et al. Genomic analysis of carbapenemresistant Acinetobacter baumannii strains recovered from Chilean hospitals reveals lineages specific to South America and multiple routes for acquisition of antibiotic resistance genes. Microbiol Spectr 2022;10:e0246322.
- Dandachi I, Azar E, Hamouch R et al. Acinetobacter spp in a third world country with socio-economic and immigrants challenges. *J Infect Dev Ctries* 2019;**13**:948–55.
- Di Venanzio G, Flores-Mireles AL, Calix JJ et al. Urinary tract colonization is enhanced by a plasmid that regulates uropathogenic Acinetobacter baumannii chromosomal genes. Nat Commun 2019:10:2763.
- Gaiarsa S, Batisti Biffignandi G, Esposito EP et al. Comparative analysis of the two Acinetobacter baumannii multilocus sequence typing (MLST) schemes. Front Microbiol 2019;**10**:930.
- Hamidian M, Hall RM Dissemination of novel Tn7 family transposons carrying genes for synthesis and uptake of fimsbactin siderophores among Acinetobacter baumannii isolates. Microb Genom 2021;7:mgen000548.
- Harding CM, Hennon SW, Feldman MF Uncovering the mechanisms of Acinetobacter baumannii virulence. Nat Rev Microbiol 2018;**16**:91–102
- Hernández-González IL, Castillo-Ramírez S Antibiotic-resistant Acinetobacter baumannii is a one health problem. Lancet Microbe 2020:1:e279.
- Higgins PG, Prior K, Harmsen D et al. Development and evaluation of a core genome multilocus typing scheme for wholegenome sequence-based typing of Acinetobacter baumannii. PLoS One 2017;12:e0179228.

- Holt K, Kenyon JJ, Hamidian M et al. Five decades of genome evolution in the globally distributed, extensively antibiotic-resistant Acinetobacter baumannii global clone 1. Microb Genom 2016;2: e000052.
- Isler B, Doi Y, Bonomo RA et al. New treatment options against carbapenem-resistant Acinetobacter baumannii infections. Antimicrob Agents Chemother 2018;**63**:e01110–18.
- Kenyon JJ, Hall RM Variation in the complex carbohydrate biosynthesis loci of Acinetobacter baumannii genomes. PLoS One 2013;8:e62160.
- Moran RA, Hall RM B/O plasmid R16 from 1956 carries an In1-like class 1 integron embedded in a complex region containing parts of the Acinetobacter baumannii AbaR resistance island. Plasmid 2019;105:102432.
- Post V, White PA, Hall RM Evolution of AbaR-type genomic resistance islands in multiply antibiotic-resistant Acinetobacter baumannii. J Antimicrob Chemother 2010;**65**:1162–70.
- Ross K, Varani AM, Snesrud E et al. TnCentral: a prokaryotic transposable element database and web portal for transposon analysis. Mbio 2021;12:e0206021.
- Russo TA, Luke NR, Beanan JM et al. The K1 capsular polysaccharide of Acinetobacter baumannii strain 307-0294 is a major virulence factor. Infect Immun 2010;78:3993–4000.
- Sahl JW, Del Franco M, Pournaras S et al. Phylogenetic and genomic diversity in isolates from the globally distributed Acinetobacter baumannii ST25 lineage. Sci Rep 2015;5: 15188.
- Sarshar M, Behzadi P, Scribano D et al. Acinetobacter baumannii: an ancient commensal with weapons of a pathogen. Pathogens 2021;10:387.
- Singh M, De Silva PM, Al-Saadi Y et al. Characterization of extremely drug-resistant and hypervirulent Acinetobacter baumannii AB030. Antibiotics 2020;9:328.
- Tacconelli E, Carrara E, Savoldi A et al. Discovery, research, and development of new antibiotics: the WHO priority list of antibiotic-resistant bacteria and tuberculosis. Lancet Infect Dis 2018;18:318–27
- Takebayashi Y, Findlay J, Heesom KJ et al. Variability in carbapenemase activity of intrinsic OxaAb (OXA-51-like) β-lactamase enzymes in Acinetobacter baumannii. J Antimicrob Chemother 2021;**76**:587–95.
- Wilharm G, Skiebe E Methods for natural transformation in Acineto-bacter baumannii. Methods Mol Biol 2019;**1946**:75–85.